




Southampton Ward Profiles 2018

Bevois Ward



INTRODUCTION

Profiles have been produced for Southampton electoral wards in order to meet the need for information and intelligence at the local level in the city and form part of the <u>Single Needs Assessment</u> for Southampton. These profiles are designed to provide information about the population, characteristics and services in each ward to better understand local population need compared to other wards and the city average.

Each profile includes data for 77 indicators grouped into 11 topics:

1. Demography

4. Community Safety

7. Education

10. Hospital Admissions

2. Deprivation & Poverty

5. Place

8. Social Care

11. Mortality

3. Economy


6. Healthy Start

9. Chronic Conditions

Each profile displays the data in a number of ways; summary information is provided as a series of infographics (pages 3-4) highlighting some of the main features and needs in each ward, whilst more detailed comparator data and definitions for each of the indicators is provided in a spine chart format and metadata table (pages 5-7). Guidance on how to interpret the infographics and spine chart is below:

INFOGRAPHICS


The infographics in this profile are designed to give the reader a quick overview of the statistics for ward. Each infographic provides the ward statistic, city average and rank amongst the 16 wards in Southampton. Wards are always ranked from high to low; so being ranked 1st could be good for some indicators and bad for others. More detail on this is available in the spine chart.



SPINE CHART

The spine chart is designed to show how the selected ward compares relatively to other wards in the city across a range of indicators....

• The red line down the centre of the chart represents the Southampton average value for each indicator. The data has been normalised which means that values to the left of the red line are 'worse' or 'lower' than the city average and those to the right are 'better' or 'higher' depending on the type of indicator.



• The circles on the chart are the ward values. Circles coloured green or red indicate that the ward value is statistically significantly 'better' or 'worse' than the city average. For some indicators, the terms 'better' or 'worse' do not apply; where this is the case, circles coloured light blue and dark blue are used to indicate where a ward is statistically significantly 'higher' or 'lower' than the city average respectively. Yellow circles indicate that any difference is not significant, whilst white circles indicate that significance could not be calculated.

SPINE CHART (CONTINUED)

- The light grey bar for each indicator shows the range of values for the wards in the city (i.e. it stretches from the value for the 'worst' or 'lowest' ward to the value for the 'best' or 'highest' ward).
- The darker grey shading shows the range of values for the middle 50% of wards.

FURTHER INFORMATION AND RESOURCES


Southampton ward profiles are also available to download in an excel format or via an interactive online mapping tool (Instant Atlas). These resources can be accessed at:

Data.southampton.gov.uk/place/ward-profiles

INFOGRAPHIC SUMMARY - BEVOIS



PLACE



Ward Area



Green Space



Air Quality



17.3 Nitrogen Dioxide annual mean ug/m3 (15.4 city average)



4 Schools (3 Primary and 1 Secondary)

1 st **↑**

Services



Pharmacies

POPULATION

Population Growth

18,960 **••••** 3rd ••





people live in the ward, and this is expected to grow by 7.9% by 2024 to 20,461

5.136



children and young people aged 0-19 years. This is expected to grow bu 6.3% bu 2024 to 5.461

1.190






>nd ↑

people aged 65+. This is expected to grow by 37.1% by 2024 to 1.632

1st 🕈

Live Births

283 average number of births per uear (3.299 citu total)



Ethnicity



55% population are non white British (22% city average)

Language



33% population have a main language other than English (12% city average)

DEPRIVATION AND ECONOMY

Fuel Poverty 1st ♠ 23% houses in fuel povertu (12% city average)

4th ↑ Child Povertu




No Qualifications



16% of adults have no qualifications (21% city average)

Population Deprivation



53% population live in the 20 % most deprived areas in England (28% city average)

House Prices



3rd **↑** Unemployment



3.2% working age adults claiming unemployment benefits (2.2% city average)

Job Density



64 iobs per hectare (23 city average)

COMMUNITY SAFETY

Total Crime



187 crimes per 1,000 population (122 city average)

Violent Crime



71 crimes per 1.000 population (40 city average)

Alcohol-Related Crime



24 crimes per 1.000 population (9 city average)

Drug Offences



5.3 crimes per 1.000 population (2.8 city average)

CHILDREN AND YOUNG PEOPLE

Smoking in Pregnancy



11% mothers smoke during pregnancy (15% city average)

Breastfeeding



79% mothers breastfeed at time of birth (68% city average)

Looked After Children



13.3 children per 1,000 are looked after (10.3 city average)

Childhood Obesity



29% of children aged 10-11 are obese (22% city average)

Special Educational Needs 11th ♠



16.8% of pupils have SEN **19.5%** city average)

Free School Meals



8th

19.5% of pupils eligible for FSM (18.6% city average)

School **Attendance**



95% pupil attendance (95.2% city average)

School Oth ♠ **Attainment**



42.5 Attainment 8 average point score (44.1 city average)

HEALTH

Hospital Admissions for Injuries to Children



120 admissions per 10.000 population aged 0-14 (124 city average)

65+ Hospital Admissions 10th ↑ for Fall Injuries



2.974 admissions per 100,000 population (2.997 city average)

Alcohol-Specific Hospital Admissions





2.246 admissions per 100.000 population (964 city average)

Limiting Long Term Illness or Disabilitu



10.9% adults aged 16-64 have a LLTI or disabilitu 12th **↑** (12.3% city average)

Depression



68 people per 1,000 population aged 15+ have depression

15th ↑ (85 city average)

Heart Disease



33 people per 1.000 population have Ischemic **Heart Disease** (32 city average)

Lung Disease



27 people per 1,000 population have COPD (33 city average)

LIFE EXPECTANCY AND MORTALITY

Life Expectancy at Birth



75.3 years 16th 1 (78.3 city average)



81.8 uears 12th 1 (82.7 city average)

Preventable Mortalitu



309 DSR deaths per 100k population (220 city average)

16th ↑

Registered Deaths



69 average number of deaths per year (1,849 city total)

Under 75 Cancer 4th ↑ Mortality



176 DSR deaths per 100k population (153 city average)

Under 75 **CVD Mortality**



104 DSR deaths per 100k population (89 citu average)

Southampton City Ward Profiles: 2018

E05002457 - Bevois



	Difference compared with city average								
			Ŗ		istic	ge G	,1	Better	,
	Indic	cator	Data Period	ъ.	Ward Statistic	City Average	Norst	City average	Best / est
			Data	Ward	Ward	City /	City Worst/ Lowest	Worst / Lowest 25th Percentile 75th Best / Highest	City Be Highest
	1	% Resident Population aged 0-4 years^	2018	1198	6.3	6.2	4.3		8.1
	2	% Resident Population aged 0-15 years^	2018	3227	17.0	17.7	12.0		22.9
	4	% Resident Population aged 18-24 years^ % Resident Population aged 16-64 years^	2018 2018	5189 14543	27.4 76.7	17.3 68.6	8.9 61.0		35.7 80.4
_	5	% Resident Population aged 65 years and over^	2018	1190	6.3	13.7	6.3		19.5
Demography	6	Forecast % change in all resident population^	2017 to 2024	1501	7.9	4.8	-0.7		19.7
igon	7	Forecast % change in 0-15yr population^ Forecast % change in 16-64yr population^	2017 to 2024 2017 to 2024	188 873	5.8 6.0	4.4 3.0	-7.2 -3.4		40.3 13.6
De	9	Forecast % change in 10-04yr population* Forecast % change in 65+yr population*	2017 to 2024 2017 to 2024	442	37.1	14.5	-3.4		51.5
	10	Population non-white British (%)^	2011	9338	55.4	22.3	7.6		55.4
	11 12	Population born in the UK (%)^	2011	10224 5239	60.7 32.5	82.4 11.8	60.7 2.9		93.6 32.5
	13	Main language other than English (%)^ Lone Parent Families (% of HHs)^	2011	346	5.6	7.0	3.7		11.5
₽	14	Highest Overall IMD Score in ward*	2015	-	58.9	26.9	69.5	0	5.8
ove	15	Lowest Overall IMD Score in ward*	2015	-	21.7	26.9	69.5		5.8
臣	16 17	IMD LSOA scores weighted by population Highest Overall IDACI Score in ward*	2015 2015	-	35.9 0.46	26.9 0.25	41.4 0.55		14.1 0.03
Deprivation and Poverty	18	Lowest Overall IDACI Score in ward*	2015	-	0.16	0.25	0.55	0	0.03
rtvat	19	IDACI LSOA scores weighted by population	2015	-	0.28	0.25	0.41	0	0.14
Dep	20 21	Children in low income families (%) Household in fuel poverty	2014 2015	895 1485	29.2 23.0	23.4 12.4	35.7 23.0		12.7 9.1
	22	Adults with no qualifications (%)	2011	2302	16.3	21.0	33.2	0	11.3
₽	23	Job density (per hectare)	2015	14000	64.5	23.2	5.0		102.7
Economy	24 25	Estimated households earning less than £15k p.a. (%) Average house price (median)^	2017 2017	-	26.9 192250	23.7	35.9 185000		15.0 262500
В	26	Long term unemployed (rate per 1,000)	2017	47	3.1	2.3	4.1		0.6
	27	Unemployment (%)	2018	475	3.2	2.2	4.0		1.0
a a	28 29	All recorded crime (rate) Crime affected by alcohol (rate)	2016/17	3516 460	186.5 24.4	122.1 9.2	268.4 25.9		53.1 2.3
safe	30	Violent crime (rate)	2016/17	1339	71.0	40.0	71.0		14.3
Community safety	31	Drug Offences (rate)	2016/17	100	5.3	2.8	9.6		0.7
Ĭ	32	Anti-social behaviour offences (rate) Accidental (or unknown) causes fires (rate)	2016/17 2014-16	1186 123	62.9 2.2	43.9 1.5	94.9		12.8 0.9
ප	34	Deliberate cause fires (rate)	2014-16	74	1.3	1.1	2.3		0.4
_	35	Particulate matter	2015	-	14.0	13.8	14.2		13.4
Place	36 37	Nitrogen dioxide Sulphur dioxide	2015 2015	-	17.3 1.9	15.4	18.9 2.2		12.9
	38	Open and green spaces (%)	2015	40334	1.9	21.1	1.9		43.3
별	39	General fertility rate (per 1k women 15-44yrs)^	2014 to 2016	832	54.0	57.2	33.6	0	84.2
Healthy start	40 41	Smoking at time of delivery (%) Breastfeeding at discharge (%)	14/15 to 16/17 14/15 to 16/17	89 588	10.9 78.8	14.9 67.6	24.4 49.6		7.1 82.1
ealt	42	Year R children obese (%)	14/15 to 16/17	68	11.3	9.7	12.0	0	6.1
Ĩ	43	Year 6 children obese (%)	14/15 to 16/17	138	29.1	21.9	30.2		14.5
	44 45	Special educational needs (SEN) (% Pupils) English as additional language (% pupils)	14/15 to 16/17 Spring 16/17	348 1630	16.8 78.6	19.5 27.1	26.1 8.5	0	14.7 78.6
=	46	Free school meals eligibility (% pupils)	Autumn 17/18	405	19.5	18.6	31.9		10.0
Education	47	Pupil attendance (%)	Spring 16/17	478255	95.0	95.2	93.8		96.1
Egn	48 49	Children achieving good level of development (% age 5) KS2 expected standard in reading, writing and maths	Spring 16/17 2016/17	128 91	62.1 52.0	70.1 62.4	61.7 48.1		85.2 78.3
	50	Progress 8 KS4 (average progress score)	2016/17	-	0.2	-0.1	-0.5		0.3
	51	KS4 Attainment 8	2016/17	-	42.5	44.1	38.1	0	49.8
ā	52 53	Looked after children (rate) Families supported through 'Famillies Matter' (%)^	2016/17 2017	46 93	13.3 4.9	10.3 5.4	19.2 3.0		3.4 8.6
Social Care	54	Safeguarding referrals for adults (rate)	2017	114	7.4	5.0	7.4		2.4
Soci	55	Average hours of home care (SCC social care)	2017	46485	12.9	15.2	21.6		9.7
-10	56 57	Social care support for 65yrs and over (rate) Limiting Long-Term Illness (%)	2017 2011	74 1388	62.5 10.9	45.1 12.3	62.5 17.1		21.0 8.7
Chronic conditions	58	Depression recorded prevalence in 15yrs+ (DSR per 1k)	2017	761	68.4	85.4	112.4	0	63.1
Ę Ē	59	COPD recorded prevalence in all ages (DSR per 1k)	2017	175	26.8	32.9	49.5	0	21.1
	60 61	Ischemic Heart Disease recorded prevalence in all ages (DSR per 1k) Alcohol specific admissions (DSR per 100k)	2017 14/15 to 16/17	191 796	33.1 2245.9	32.0 963.8	37.7 2245.9		21.7 438.5
SUO	62	Smoking related admissions (DSR per 100k)	14/15 to 16/17	343	1833.0	1784.6	2410.6	0	1219.0
olssic	63	Drug related mental health & behavioural disorders (DSR per 100k)	14/15 to 16/17	50	107.6	45.0	107.6		16.3
ag .	64 65	Poisoning by illicit drugs (DSR per 100k) Under 18 mental health admissions (rate per 100k)	14/15 to 16/17 14/15 to 16/17	277 26	487.8 132.2	177.4 138.6	487.8 263.6		85.8 60.6
Mortality Hospital admissions	66	Unintentional & deliberate injuries (rate per 10k 0-14 yrs)	14/15 to 16/17	171	120.0	124.2	162.4		97.0
	67	Unintentional & deliberate injuries (rate per 10k 15-24 yrs)	14/15 to 16/17	442	146.5	147.6	282.2	· ·	87.3
	68 69	Emergency admissions due to falls (rate per 100k aged 65+) Under 75 years mortality rate for cancer	14/15 to 16/17 2012 to 2016	137 47	2974.2 175.8	2996.9 153.1	3757.7 190.5		2533.7 100.8
	70	Under 75 years mortality rate for CVD	2012 to 2016	35	103.9	88.8	122.0	Ŏ	56.9
	71	Under 75 years mortality rate for respiratory	2012 to 2016	26	99.7	47.5	99.7		26.1
	72 73	Under 75 yrs mortality rate for liver disease considered preventable All age mortality rate for causes considered preventable	2012 to 2016 2012 to 2016	11 112	29.6 308.9	18.1 219.6	34.3 308.9		9.5 127.2
	74	All age all cause mortality rate	2012 to 2016	196	1186.6	1037.1	1341.7		877.2
	75	Excess winter deaths (%)	14/15 to 16/17	5	8.2	15.4	52.6		-5.8
	76 77	Male life expectancy (yrs) Female life expectancy (yrs)	2012 to 2016 2012 to 2016	-	75.3 81.8	78.3 82.7	75.3 79.9		81.6 85.2
	′′	. emails are expectancy (gra)	F015 10 5010	-	01.0	UE./	/9.9		U3.2

[^] The terms 'best' and 'worst' are not appropriate for these indicators instead the right side of the chart indicates the highest value and the left side the lowes

^{*} These indicators should be interpreted on a continuum of all LSOAs in the city, rather than just the 'most' and 'least' deprived LSOAs in wards



	Indicator Period reported in Number Indicator Name profile Notes			Notae
	1	% Resident population aged 0-4	2017	Resident population aged 0 to 4 years (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts
	2	years % Resident population aged 0-15	2017	Resident population aged 0 to 15 years (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts
	3	years % Resident population aged 18-24	2017	Resident population aged 18 to 24 years (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts
	4	years % Resident population aged 16-64	2017	Resident population aged 16 to 64 years (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts
	5	years % Resident population aged over 65	2017	Resident population aged 65 years and over (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts
	6	years Forecast % change in population:	2017 and 2024	Forecast % change in resident population. Percentage change (%) 2017-2024 using the difference in population between 2017 and 2024 from the total population in 2017.
Ę	_	2017-24 Forecast % change in 0 to 15 years		Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts. Forecast % change in resident population aged 0-15 years. Percentage change (%) 2017-2024 using the difference in population aged 0-15 years between 2017 and 2024
nograp	7	population: 2017-24	2017 and 2024	from the aged 0-15 years population in 2017. Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts.
Dem	8	Forecast % change in 16 to 64 years population: 2017-24	2017 and 2024	Forecast % change in resident population aged 16-64 years. Percentage change (%) 2017-2024 using the difference in population aged 16-64 years between 2017 and 2024 from the aged 16-64 years population in 2017. Source: Hampshire County County 2017-based Southampton Alternative Small Area Population Forecasts.
	9	9 Forecast % change in 65 years and over population: 2017-24 2017 and 2024		Forecast % change in resident population aged 65 years and over. Percentage change (%) 2017-2024 using the difference in population aged 65 years and over between 2017 and 2024 from the aged 65 years and over years population in 2017. Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts.
	10	% Population non-white British	2011	Population from non-white British ethnic groups (Percentage). Percentage of Black, Asian and other ethnic groups, who are other than White British. Source Table KS201EW Census 2011 Office for National Statistics licensed under the Open Government Licence v.1.0
	11 % Population born in the UK 2011		2011	Population born in the UK: 2011 (Percentage). Percentage of residents born in the UK of total resident population. Source: Table KS204EW 2011 Census. Office for National Statistics licensed under the Open Government Licence v.1.0
	12	% Lone parent households	2011	Lone parent families: 2011. Percentage of households that are lone parents with dependent children. Source: Table QS501EW Census 2011 Office for National Statistics licensed under the Open Government Licence v.1.0
	13	% Main language is not English	2011	Percentage of residents aged 3 and over with a main language other than English. Source: KS206EW ONS NOMIS Census 2011 Office for National Statistics licensed under the Open Government Licence v.1.0
	14	Most deprived IMD LSOA (score)	2015	Most deprived LSOA (score). High scores have greater deprivation. Lower Super Output Area (LSOA) with the highest overall IMD Score in ward. Source: Index of Multiple Deprivation (2015) Ministry of Housing, Communities and Local Government.
	15	Least deprived IMD LSOA (score)	2015	Least deprived LSOA (score). High scores have greater deprivation. Lower Super Output Area (LSOA) with the lowest overall IMD Score in ward. Source: Index of Multiple Deprivation (2015) Ministry of Housing, Communities and Local Government.
verty	16	Population weighted IMD score	2015	Ward average of IMD LSOA scores weighted by 2015 LSOA population. For each ward the IMD score was calculated using ((sum of (each LSOA score in ward x that LSOA population in ward)/total population of LSOAs in ward). Source: Ministry of Housing, Communities and Local Government and ONS Mid-year Population Estimate 2015
nd Po	17	Most deprived IDACI LSOA (score)	2015	Most deprived IDACI LSOA (score). High scores have greater deprivation. Lower Super Output Area (LSOA) with the highest overall Income Deprivation Affecting Children Index (IDACI) IMD Score in ward. Source: Index of Multiple Deprivation (2015) Ministry of Housing, Communities and Local Government.
tion a	18	Least deprived IDACI LSOA (score)	2015	Least deprived IDACI LSOA (score). High scores have greater deprivation. Lower Super Output Area (LSOA) with the lowest overall Income Deprivation Affecting Children Index (IDACI) IMD Score in ward. Source: Index of Multiple Deprivation (2015) Ministry of Housing, Communities and Local Government.
Depriva	19	Population weighted IDACI (score)	2015	Ward average of IDACI LSOA scores weighted by 2015 LSOA population. For each ward the IDACI score was calculated using ((sum of (each LSOA score in ward x that LSOA population in ward)/total population of LSOAs in ward). Source: Ministry of Housing, Communities and Local Government and ONS Mid-year Population Estimate 2015
	20	% Children living in poverty	2014	Percentage of children living in poverty: 2014. Percentage of children in low income families (children living in families in receipt of out of work benefits or tax credits where their reported income is less than 60% median income) for under 16s only. Source: Personal Tax Credits: Related Statistics - Child Poverty Statistics from HM Revenue and Customs
	21	% Households living in fuel poverty	2015	Percentage of households living in fuel poverty: 2015. The percentage of households that experience fuel poverty based on the "Low income, high cost" methodology. Estimated number of 'fuel poor' households of all households. Source: Department for Business, Energy and Industrial Strategy.
	22	% Adults with no qualifications	2011	Adults without qualifications: 2011 (Percentage). Percentage of residents aged 16+ without qualifications. Source: Table QS501EW Census 2011 Office for National Statistics licensed under the Open Government Licence v.1.0
	23	Job density (per hectare)	2015	Job density (per hectare) 2015. Number of jobs by ward geographical area. Source: UK business register and employment survey (BRES) 2016 (provisional). Ward area hectares from 2011 Census Table QS102EW Office for National Statistics licensed under the Open Government Licence v.1.0
	24	% Estimated households with income of less than £15,000 p.a.	2017	Estimated households earning less than £15k p.a. (%) 2017. Percentage of properties with a household income less than £15,000 per annum (modelled estimated). National percentages for the 58 Southampton Mosaic types applied to number of household at ward level. Source: Experian Mosaic UK.
TWO I	25	Average house price (median)	2017	Average house price (median) 2017. Median price (£) for all houses (including flats/maisonettes) by ward. Source: ONS House Price Statistics for Small Areas (HPSSAs). Office for National Statistics licensed under the Open Government Licence v.1.0
Ecor	26	Long-term unemployed aged 16-64 (rate)	2017	Long term unemployed (rate per 1,000) 2017. Rate per 1,000 population aged 16-64 years of people claiming Jobseeker's Allowance (JSA) for >12 months. Average monthly claimants of Jobseeker's Allowance who have been claiming for more than 12 months, rate per 1,000 of the working age population, 2017 (The numerator counts provided by NOMIS for each month are all rounded to the nearest 5 and these monthly rounded figures are used to calculate the average number of claimants for the 12 month period, January to December 2017). Source: Claimant count from NOMIS and ONS Ward working age population (16 to 64yrs) Mid Year Estimates 2016.
	27	% unemployed	2018	Unemployment (%) 2018. Percentage of population who are claiming for unemployment benefits aged 16 to 64 years. The Claimant Count measures the number of people claiming benefits principally for the reason of being unemployed. This includes people claiming contribution-based and also means-tested JSA, and people claiming universal credit and required to actively seek work. Source NOMIS and ONS 2016 Mid year population ward estimates.
	28	Police recorded crime (rate)	2016/17	Police Recorded Crime, per 1,000 resident population. Total crimes reported and recorded (including Anti Social Behaviour) rate per resident population. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
	29	Police recorded crime, affected by alcohol (rate)	2016/17	Police Recorded Crime affected by alcohol, per 1,000 resident population. Police recorded crime, with the flag 'substance used: affected by alcohol' flag applied rate per resident population. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
₽	30	Police recorded drug offences (rate)	2016/17	Police Recorded Crime categorised as drug offence, per 1,000 resident population. Police recorded possession of a controlled drug, production or being concerned in the production of controlled drugs, supply or offering to supply a controlled drug. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
y safe	31	Police recorded violent crime rate (rate)	2016/17	Police Recorded Crime categorised as violent, per 1,000 resident population. Police recorded violent crime rate per resident population. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
Community	32	Police recorded anti-social behaviour (rate)	2016/17	Police recorded crime for anti-social behaviour, per 1,000 resident population. Police recorded crime for anti-social behaviour. Anti-social behaviour is any aggressive, intimidating or destructive activity that damages or destroys another person's quality of life. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
3	33	Accidental or unknown cause fires (rate)	2015 to 2017	Rate of fires per 1,000 population categorised as accidental cause or unknown cause. Source: Hampshire Fire and Rescue Service and ONS. Note This data is calendar years and includes 'unknowns' and may differ from the numbers published in Safe City, ONS MYE population denominator uses the 2016 population twice as a proxy for 2017 (2015 + 2x 2016)
	34	Deliberate fires (rate)	2015 to 2017	Rate of fires per 1,000 population of fires categorised as deliberate. Source: Hampshire Fire and Rescue Service and ONS. Note This data is calendar years and includes 'unknowns' and may differ from the numbers published in Safe City, ONS MYE population denominator uses the 2016 population twice as a proxy for 2017 (2015 + 2x 2016)
	35	Particulate Matter (annual mean µg/m3)	2015	Modelled LSOA area weighted Particulate Matter annual mean µgm3. For each ward the mean was calculated using (sum of (each LSOA mean in ward x that LSOA area in ward)/total area of LSOA in ward). Source DEFRA 2015 via PHE Shape tool
Place	36	Nitrogen Dioxide (annual mean µg/m3)	2015	Waddy load area or EDA in wardy Source DET ME COLD with The Shape tool Modelled LSOA area weighted Nitrogen Dioxide annual mean µgm3. The concentration of an air pollutant is given in micrograms (one-millionth of a gram) per cubic meter air or µg/m3. For each ward the mean was calculated using (sum of (each LSOA mean in ward x that LSOA area in ward)/total area of LSOA in ward) Source DEFRA 2015 via PHE Shape tool
	37	Sulphur Dioxide (annual mean µg/m3)	2015	Modelled LSOA area weighted Sulphur Dioxide annual mean µgm3. For each ward the mean was calculated using (sum of (each LSOA mean in ward x that LSOA area in ward))total area of LSOA in ward). Source: Department for Environment Food & Rural Affairs via Shape tool from Public Health England
	38	% Open and green spaces	2013	Percentage of open and green spaces. Wider definition of green space to include; Natural and Semi-Natural Urban Green Spaces, Green Corridors; Formal Parks and Gardens; Amenity Green Spaces; Allotments, Community Gardens and Urban Farms, Cemeteries and Churchyards, Civic Spaces and Outdoor Sports Facilities including School Grounds
Healthy start	39	General fertility rate	2014 to 2016	(percentage calculate from square metre data. Source: Southampton City Council General fertility rate. Number of live births per 1000 women aged 15-44 years. ONS Annual Births Extract pro-rated Hampshire County Council small area population forecasts Southampton under Chapter for superior business.
	40	% Smoking at time of delivery	2014/15 to 2016/17	Southampton wards (based for relevant years) Percentage of women (maternities) smoking at time of discharge. Women known to be smokers at the time of delivery are defined as pregnant women who reported smoking
	41	% Breastfeeding at discharge	2018	(at all) at the time of delivery. Source: NHS Southampton Clinical Commissioning Group Percentage of maternities breastfeeding (fully or partially) at time of discharge of all the maternities recorded as breastfeeding, breastfeeding with formula, or formula. This excludes maternities where breastfeeding status was not known, where the baby was in neonatal unit at the time of the mother's discharge or the mother was transferred out
	42	% Reception year obese	2014/15 to 2016/17	of maternity to another ward. Source: NHS Southampton CCG. Year R children obese: 2014/15 to 2016/17 (pooled). Percentage of children aged 4-5 classified as obese. Data shown is based on the resident postcode of the child rather
	43	% Year 6 obese	2014/15 to 2016/17	than school location. Source: Validated NCMP national dataset and Southampton Child Health Information System via NHS Digital Year 6 children obese: 2014/15 to 2016/17 (pooled). Percentage of children aged 10-11 classified as obese. Data shown is based on the resident postcode of the child rather
		70 Teal o obese	231413102010/1/	than school location. Source: Validated NCMP national dataset and Southampton Child Health Information System via NHS Digital

(



	Indicator Number	Indicator Name	Period reported in profile	Notes
	44	% Special educational needs (SEN)	Spring term 2017/18	Percentage of Southampton school children with a education health care plan, statement or receiving other support in Spring 2017. Source: Southampton City Council
			Autumn term	Pupils with English as additional language Autumn 2017. Southampton school children with English as additional language in Autumn 2017. Southampton
	45	% English as additional language	2017/18	figure includes children resident outside of Southampton but attending Southampton schools. Source: Southampton City Council Percentage of Southampton school children living in ward eliqible for Free School Meals in Spring 2017. Southampton figure includes children resident outside of Southampton
	46	% Free school meals eligibility	Spring term 2017/18	but attending Southampton schools. Source: Southampton City Council Pupil attendance (%). Percentage of present sessions over the total possible sessions and used a mean average of the pupils attendance rates aggregated by ward. Source:
Education	47	% Pupil attendance	Spring term 2016/17	Southampton City Council.
	48	% Children achieving good level of development (age 5)	2016/17	Children achieving good level of development (% age 5). Children defined as having reached a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children. Source: Southampton City Council
	49	% KS2 expected standard in reading, writing and maths	2016/17	Percentage of the number of KS2 pupils meeting the expected standard in reading, writing and maths of all eligible pupils. Southampton figure includes children resident outside of Southampton but attending Southampton schools. Source: Southampton City Council.
	50	Progress 8 KS4 (average score)	2016/17	Progress 8 KS4 (average progress score) 2016/17. Progress 8 calculates the difference between a pupils actual score and what they were estimated to achieve, based on the performance of pupils with similar prior attainment nationally. In 2017, new, reformed English and Maths GCSEs were first examined and a new grading of 9-1 was introduced, with 9 being the highest grade. All other GCSE subjects were graded A*-G in 2017 and converted to a scale of 9-1 to ensure compatibility with English and Maths when calculating Progress 8 scores. Source: Southampton City Council.
	51	Attainment 8 KS4 (average score)	2016/17	Attainment 8 KS4 (average score) 2016/17. KS4 accountability of Attainment 8 takes a pupils best 8 Performance Table eligible qualifications and calculates an average score. The new, reformed English and Maths GCSEs were first examined and a new grading of 9-1 was introduced, with 9 being the highest grade. All other GCSE subjects were graded A*-G in 2017 and converted to a scale of 9-1 to ensure compatibility with English and Maths when calculating Attainment 8 scores. Source: Southampton City Council.
Social Care	52	Looked after children aged 0-17 years (rate)	2017	Children looked after as a rate per 1,000 residents aged 0-17 years, based on the recorded Southampton 'home' postcodes of where of child aged under 18 years before being taken to care and was still a LAC on the evening on the 31st March 2017. Note excludes 5% of the LAC dataset where a child's 'home' post code was outside of Southampton LA including taken into care from Women's Prisons after birth. Source: Southampton City Council and Hampshire County Council's 2016 based Small Area Population Forecasts
	53	% Families supported through Families Matter Programme	2017	Percentage of families on Families Matter Programme. Numerator counts of recorded postcodes by ward of 'Families' on the Families Matter Programme. Including all families who have been eligible for the programme and who Southampton city Council has worked with and not just those that Southampton City Council are currently active with. Denominator counts number of families receiving child benefit by ward extracted from the Child Benefit small area statistics - August 2017. Sources: Southampton City Council and HM Revenue Customs.
S	54	Safeguarding referrals for adults aged 18 and over (rate)	2017	Safeguarding referrals for adults (rate per 1,000 residents 18+ years) 2017. Adults referred for safeguarding enquiries per 1,000 population aged 18+. Source: PARIS Southampton City Council and Hampshire County Council's 2016 based Small Area Population Forecasts.
	55	Average hours of home care	2017	Average number of hours of home care commissioned by SCC social care 2017. Hours of home care per client commissioned by SCC social care. Higher average rates care indicate areas were population requires more intensive support. Source: PARIS Southampton City Council.
	56	Social care support for 65 years and	2017	Over 65 years receiving social care support (rate per 1000) as of 31st December 2017. Source: PARIS Southampton City Council and Hampshire County Council's 2016 based
LID.	57	over (rate) % Adults with limiting long-term	2011	Small Area Population Forecasts Percentage of adults aged 16-64 with a long term illness or disability which limits their daily activities a little or a lot. Source: Table OS303EW Census 2011.
Chronic conditions		illness or disability Depression recorded prevalence		
cond	58	(DSR per 1k)	2017	Prevalence of Depression in GP registered population (DSR per 1,000 population aged 15+) Source: ACG Tool
ronic	59	COPD recorded prevalence (DSR per 1k)	2017	Prevalence of Chronic Obstructive Pulmonary Disease (COPD) in GP registered all aged population (DSR per 1,000 population - all ages). Source: ACG Tool.
5	60	Ischemic Heart Disease recorded prevalence (DSR per 1k)	2017	Prevalence of Ischemic Heart Disease in GP registered all aged population (DSR per 1,000 population - all ages). Source: ACG Tool
	61	Alcohol specific admissions (DSR)	2014/15 to 2016/17	Hospital admissions for alcohol-specific conditions, all ages, directly age standardised rate per 100,000 population 2014/15 to 2016/17. For each admission episode (Day Case, Elective, Non-Elective (Emergency or Maternity or other transfer), Regular Days) identified, primary diagnosis or any of the secondary diagnoses are identified with an alcohol-specific (Wholly attributable) condition. The alcohol specific (D codes used, replicated from the Public Health England methodology are F10, G312, G621, G721, I426, K292, K70, K852, K860, Q860, R780, T510, T511, T519, X45, X65, Y159, Y919. Directly age standardised rates are calculated by quinary age bands per 100,000 population and standardised to the European Standard Population. Source Hospital Episodes Statistics and Office for National Statistics mid-year population estimates (2014, 2015 and 2016).
	62	Smoking related admissions (DSR)	2014/15 to 2016/17	Smoking Attributable Admissions in people aged 35 and over, directly age standardised rate per 100,000. Hospital admissions for diseases that are wholly or partially attributed to smoking. This was calculated using the Public Health England's smoking attributable fractions for Southampton were applied to finished admission episodes with smoking attributable defined (IC-10 codes as the primary diagnosis (Disease Category (ICD-10). Age at admission 35 and over Source: Hospital Episode Statistics (HES) and ONS mid year estimates for relevant years.
SE	63	Drug related mental health and behavioural disorders (DSR)	2014/15 to 2016/17	Hospital admissions with a primary or secondary diagnosis of drug related mental health and behavioural disorders, DSR per 100,000 population. Sources: Inpatient SUS. Mid- year population estimates, Office for National Statistics (for full metadata see Drugs compendium in JSNA)
nissic	64	Poisoning by illicit drugs (DSR)	2014/15 to 2016/17	Hospital admissions with a primary diagnosis of poisoning by illicit drugs DSR per 100,000 population. Sources: Inpatient SUS. Mid-year population estimates, Office for National Statistics (for full metadata see Drugs compendium in JSNA)
a ad	65	Under 18 mental health admissions (rate)	2011/12 to 2016/17	Inpatient admission rate for mental health disorders per 100,000 population aged 0-17 years. First finished episodes for all persons aged 0 to 17 years with primary diagnosis codes F00 to F99 (Mental and behavioural disorders). Source Hospital Episode Statistics (HES)
Hospital admissions	66	Unintentional and deliberate injuries aged 0-14 years (rate)	2012/13 to 2016/17	Crude rate of hospital admissions caused by unintentional and deliberate injuries in children aged under 15 years per 10,000 resident population aged under 15 years. Rate calculated using the number of finished emergency admissions (episode number = 1, admission method starts with 2), with one or more codes for injuries and other adverse effects of external causes (ICD 10: 500-T79 and/or V01-Y36) in any diagnostic field position, in children (aged 0-14 years) per 10.000 resident population aged 0-14 years for relevant years. Source: Hospital Episode Statistics (HES) and ONS mid year estimates for relevant years.
	67	Unintentional and deliberate injuries aged 15-24 years (rate)	2012/13 to 2016/17	Crude rate of hospital admissions caused by unintentional and deliberate injuries young people aged 15-24 years per 10,000 resident population aged 15-24 years. Rate calculated using the number of finished emergency admissions (episode number = 1, admission method starts with 2), with one or more codes for injuries and other adverse effects of external causes (ICD 10: S00-T79 and/or V01-Y36) in any diagnostic field position, in children (aged 15-24 years) per 10,000 resident population aged 15-24 years for relevant years. Source: Hospital Episode Statistics (HES) and ONS mid year estimates for relevant years.
	68	Injuries from falls aged 65 and over (rate)	2012/13 to 2016/17	Emergency hospital admissions for falls injuries in persons aged 65 and over, directly age standardised rate per 100,000. Falls injuries classified by primary diagnosis code (ICD10 code S00-T98) and external cause (ICD10 code W00-W19) and an emergency admission code (episode order number = 1, admission method starts with 2). Age at admission 65 and over Source: Hospital Episode Statistics (HES) and ONS mid year estimates for relevant years.
	69	Under 75 years mortality rate for cancer (DSR)	2012-2016	Age-standardised under 75 years mortality rate for cancer considered preventable. "A higher rate can be seen as 'worse'. Deaths included in these calculation are those deaths from cancer (classified by underlying cause of death recorded as ICD codes IO0-199) registered in the respective calendar years, in people aged under 75, aggregated into quinary age bands (0-4, 5-9,, 70-74). Counts of deaths for years up to and including 2013 have been adjusted where needed to take account of the IRIS ICD-10 coding change introduced in 2014, further information is in the in the FAQs on the front page tab. Source ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
	70	Under 75 years mortality rate for CVD (DSR)	2012-2016	Age-standardised under 75 years mortality rate for cardiovascular disease considered preventable. *A higher rate can be seen as 'worse'. Deaths included in these calculation are those deaths from cardiovascular diseases (classified by underlying cause of death recorded as ICD codes IOD-199) registered in the respective calendar years, in people aged under 75, aggregated into quinary age bands (0-4, 5-9,, 70-74). Source ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
ality	71	Under 75 years mortality rate for respiratory diseases (DSR)	2012-2016	Age-standardised under 75 years mortality rate for respiratory disease.*A higher rate can be seen as 'worse'. Deaths included in these calculation are those deaths from respiratory diseases (classified by underlying cause of death recorded as ICD codes J00-J99) registered in the respective calendar years, in people aged under 75, aggregated into quinary age bands (0-4, 5-9,, 70-74). Source ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
Life expectancy and mortality	72	Under 75 years mortality rate for liver disease considered preventable (DSR)	2012-2016	Age-standardised under 75 years mortality rate for liver disease considered preventable. "A higher rate can be seen as 'worse'. Death's included in these calculation are those deaths from liver disease (classified by underlying cause of death recorded as ICD codes B15-B19, C22, IB1, I85, K70-K77, T86.4) registered in the respective calendar years, in people aged under 75, aggregated into quinary age bands (0-4, 5-9,, 70-74). Source ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
	73	All age mortality rate for causes considered preventable (DSR)	2012-2016	Age-standardised rate of mortality from causes considered preventable per 100,000 population, 2014 to 2016. Deaths included are those that that are considered preventable (classified by underlying cause of death recorded as ICD codes A15-A19, (A35, A36, A80, B01 aged under 20 only), A37 (aged under 15 only), B17.1, B18.2, B20-B24, B90, C00-C16, C18-C22, C33-C34, C43, C45, C50, C53, E10-E14, F10-F16, F18-F19, G31.2, G62.1, I20-126, I42.6, I71, I80.1-I80.3, I80.9, I82.9, J09-J11, J40-J44, K29.2, K70, K73-K74 (ext. K743-K74.5), K86.0, Q05, U50.9, V01-Y34, Y60-Y69, Y83-Y84 registered in the respective calendar years, aggregated into quinary age bands (C4, 5-2), B5-89, 909). Only deaths aged under 75 om the above causes are included (unless otherwise mentioned) except B20-B24, U50.9, V01-Y34, Y60-Y69, Y83-Y84 (all ages). Counts of deaths for years up to and including 2013 have been adjusted where needed to take account of the IRIS ICD-10 coding change introduced in 2014, further information is in the in the FAQs on the front page tab. Source: ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
	74	All age all cause mortality rate (DSR)	2012-2016	All age all cause mortality rate.*A higher rate can be seen as 'worse'. Age-standardised rate of mortality from all causes in persons of all ages per 100,000 population. Source:
	75	Excess winter deaths	2012/13 to 2016/17	ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years. Excess Winter Deaths Index (EWD Index) all persons. The excess winter deaths index is measured as the ratio of extra deaths from all causes that occur in the winter months compared with the expected number of deaths, based on the average of the number of non-winter deaths. Source: Primary Care Mortality Database
	76	Male life expectancy (years)	2012 to 2016	Male life expectancy: 2012 to 2016 (pooled)Life expectancy for males at birth - aggregated over 5 years. Source: ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years
	77	Female life expectancy (years)	2012 to 2016	Female life expectancy: 2012 to 2016 (pooled)Life expectancy for females at birth - aggregated over 5 years. Source: ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years
			<u> </u>	population estimates IUI Televalit geals



	Indicator		Period reported in	
	Number	Indicator Name % Resident population aged 0-4	profile	Notes
ñı	1	years % Resident population aged 0-15	2017	Resident population aged 0 to 4 years (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts
	3	years % Resident population aged 18-24	2017	Resident population aged 0 to 15 years (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts
	4	years % Resident population aged 16-64	2017	Resident population aged 18 to 24 years (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts
	5	years % Resident population aged over 65	2017	Resident population aged 16 to 64 years (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts
	6	years Forecast % change in population:	2017 2017 and 2024	Resident population aged 65 years and over (Percentage). Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts Forecast % change in resident population. Percentage change (%) 2017-2024 using the difference in population between 2017 and 2024 from the total population in 2017.
	0	2017-24 Forecast % change in 0 to 15 years	2017 dilu 2024	Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts. Forecast % change in resident population aged 0-15 years. Percentage change (%) 2017-2024 using the difference in population aged 0-15 years between 2017 and 2024
ography	7	population: 2017-24	2017 and 2024	from the aged 0-15 years population in 2017. Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts.
Dem	8	Forecast % change in 16 to 64 years population: 2017-24	2017 and 2024	Forecast % change in resident population aged 16-64 years. Percentage change (%) 2017-2024 using the difference in population aged 16-64 years between 2017 and 2024 from the aged 16-64 years population in 2017. Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts.
	9	Forecast % change in 65 years and over population: 2017-24	2017 and 2024	Forecast % change in resident population aged 65 years and over. Percentage change (%) 2017-2024 using the difference in population aged 65 years and over between 2017 and 2024 from the aged 65 years and over years population in 2017. Source: Hampshire County Council 2017-based Southampton Alternative Small Area Population Forecasts.
	10	% Population non-white British	2011	Population from non-white British ethnic groups (Percentage). Percentage of Black, Asian and other ethnic groups, who are other than White British. Source Table KS201EW Census 2011 Office for National Statistics licensed under the Open Government Licence v.1.0
	11	% Population born in the UK	2011	Population born in the UK: 2011 (Percentage). Percentage of residents born in the UK of total resident population. Source: Table KS204EW 2011 Census. Office for National Statistics licensed under the Open Government Licence v.1.0
	12	% Lone parent households	2011	Lone parent families: 2011. Percentage of households that are lone parents with dependent children. Source: Table QS501EW Census 2011 Office for National Statistics licensed under the Open Government Licence v.1.0
	13	% Main language is not English	2011	Percentage of residents aged 3 and over with a main language other than English. Source: KS206EW ONS NOMIS Census 2011 Office for National Statistics licensed under the Open Government Licence v.1.0
	14	Most deprived IMD LSOA (score)	2015	Most deprived LSOA (score). High scores have greater deprivation. Lower Super Output Area (LSOA) with the highest overall IMD Score in ward. Source: Index of Multiple Deprivation (2015) Ministry of Housing, Communities and Local Government.
	15	Least deprived IMD LSOA (score)	2015	Least deprived LSOA (score). High scores have greater deprivation. Lower Super Output Area (LSOA) with the lowest overall IMD Score in ward. Source: Index of Multiple Deprivation (2015) Ministry of Housing, Communities and Local Government.
privation and Poverty	16	Population weighted IMD score	2015	Ward average of IMD LSOA scores weighted by 2015 LSOA population. For each ward the IMD score was calculated using ((sum of (each LSOA score in ward x that LSOA population in ward)/total population of LSOAs in ward). Source: Ministry of Housing, Communities and Local Government and ONS Mid-year Population Estimate 2015
and P	17	Most deprived IDACI LSOA (score)	2015	Most deprived IDACI LSOA (score). High scores have greater deprivation. Lower Super Output Area (LSOA) with the highest overall Income Deprivation Affecting Children Index (IDACI) IMD Score in ward. Source: Index of Multiple Deprivation (2015) Ministry of Housing, Communities and Local Government.
ation	18	Least deprived IDACI LSOA (score)	2015	Least deprived IDACI LSOA (score). High scores have greater deprivation. Lower Super Output Area (LSOA) with the lowest overall Income Deprivation Affecting Children Index (IDACI) IMD Score in ward. Source: Index of Multiple Deprivation (2015) Ministry of Housing, Communities and Local Government.
Depriva	19	Population weighted IDACI (score)	2015	Ward average of IDACL LSOA scores weighted by 2015 LSOA population. For each ward the IDACI score was calculated using ((sum of (each LSOA score in ward x that LSOA population in ward)/total population of LSOAs in ward). Source: Ministry of Housing, Communities and Local Government and ONS Mid-year Population Estimate 2015
	20	% Children living in poverty	2014	Percentage of children living in poverty: 2014. Percentage of children in low income families (children living in families in receipt of out of work benefits or tax credits where their reported income is less than 60% median income) for under 16s only. Source: Personal Tax Credits: Related Statistics - Child Poverty Statistics from HM Revenue and Customs
	21	% Households living in fuel poverty	2015	Percentage of households living in fuel poverty: 2015. The percentage of households that experience fuel poverty based on the "Low income, high cost" methodology. Estimated number of fuel poor households of all households. Source: Department for Business, Energy and Industrial Strategy.
	22	% Adults with no qualifications	2011	Adults without qualifications: 2011 (Percentage). Percentage of residents aged 16+ without qualifications. Source: Table QS501EW Census 2011 Office for National Statistics licensed under the Open Government Licence v.1.0
	23	Job density (per hectare) % Estimated households with	2015	Job density (per hectare) 2015. Number of Jobs by ward geographical area. Source: UK business register and employment survey (BRES) 2016 (provisional). Ward area hectares from 2011 Census Table Q5102EW Office for National Statistics licensed under the Open Government Licence v.1.0 Estimated households earning less than £15k p.a. (%) 2017. Percentage of properties with a household income less than £15,000 per annum (modelled estimated). National
_	24	income of less than £15,000 p.a.	2017	Estimated industribute searning less untal ETS (A) 2017. Percentage or injudence want a industribute income sea than ETS (A) 2017. Percentage or properties want a industribute income seas than ETS (A) 2017. Percentage or properties want a industribute income income seas than ETS (A) 2017. Percentage or properties want a industribute income income income seas than ETS (A) 2017. Percentage or properties want a industribute income income income seas than ETS (A) 2017. Percentage or properties want a industribute income incom
шouc	25	Average house price (median)	2017	for National Statistics licensed under the Open Government Licence v.1.0
E	26	Long-term unemployed aged 16-64 (rate)	2017	Long term unemployed (rate per 1,000) 2017. Rate per 1,000 population aged 16-64 years of people claiming Jobseeker's Allowance (JSA) for >12 months. Average monthly claimants of Jobseeker's Allowance who have been claiming for more than 12 months, rate per 1,000 of the working age population, 2017 (The numerator counts provided by NOMIS for each month are all rounded to the nearest 5 and these monthly rounded figures are used to calculate the average number of claimants for the 12 month period, January to December 2017). Source: Claimant count from NOMIS and ONS Ward working age population (16 to 64yrs) Mid Year Estimates 2016.
	27	% unemployed	2018	Unemployment (%) 2018. Percentage of population who are claiming for unemployment benefits aged 16 to 64 years. The Claimant Count measures the number of people claiming benefits principally for the reason of being unemployed. This includes people claiming contribution-based and also means-tested JSA, and people claiming universal credit and required to actively seek work. Source NOMIS and ONS 2016 Mid year population ward estimates.
	28	Police recorded crime (rate)	2016/17	Police Recorded Crime, per 1,000 resident population. Total crimes reported and recorded (including Anti Social Behaviour) rate per resident population. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
	29	Police recorded crime, affected by alcohol (rate)	2016/17	Police Recorded Crime affected by alcohol, per 1,000 resident population. Police recorded crime, with the flag 'substance used: affected by alcohol' flag applied rate per resident population. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
霓	30	Police recorded drug offences (rate)	2016/17	Police Recorded Crime categorised as drug offence, per 1,000 resident population. Police recorded possession of a controlled drug, production or being concerned in the production of controlled drugs, supply or offering to supply a controlled drug. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
y safe	31	Police recorded violent crime rate (rate)	2016/17	Police Recorded Crime categorised as violent, per 1,000 resident population. Police recorded violent crime rate per resident population. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
Community safety	32	Police recorded anti-social behaviour (rate)	2016/17	Police recorded crime for anti-social behaviour, per 1,000 resident population. Police recorded crime for anti-social behaviour. Anti-social behaviour is any aggressive, intimidating or destructive activity that damages or destroys another person's quality of life. Source: Hampshire Constabulary. Hampshire County Council's 2016 based Small Area Population Forecasts.
0	33	Accidental or unknown cause fires (rate)	2015 to 2017	Rate of fires per 1,000 population categorised as accidental cause or unknown cause. Source: Hampshire Fire and Rescue Service and ONS. Note This data is calendar years and includes 'unknowns' and may differ from the numbers published in Safe City, ONS MYE population denominator uses the 2016 population twice as a proxy for 2017 (2015 + 2x 2016)
	34	Deliberate fires (rate)	2015 to 2017	Rate of fires per 1,000 population of fires categorised as deliberate. Source: Hampshire Fire and Rescue Service and ONS. Note This data is calendar years and includes 'unknowns' and may differ from the numbers published in Safe City, ONS MYE population denominator uses the 2016 population twice as a proxy for 2017 (2015 + 2x 2016)
	35	Particulate Matter (annual mean μg/m3)	2015	Modelled LSOA area weighted Particulate Matter annual mean µgm3. For each ward the mean was calculated using (sum of (each LSOA mean in ward x that LSOA area in ward)/total area of LSOA in ward) Source DEFRA 2015 via PHE Shape tool
Place	36	Nitrogen Dioxide (annual mean µg/m3)	2015	Modelled LSOA area weighted Nitrogen Dioxide annual mean μgm3. The concentration of an air pollutant is given in micrograms (one-millionth of a gram) per cubic meter air or μg/m3. For each ward the mean was calculated using (sum of (each LSOA mean in ward x that LSOA area in ward)/total area of LSOA in ward) Source DEFRA 2015 via PHE Shape tool
	37	Sulphur Dioxide (annual mean µg/m3)	2015	Modelled LSOA area weighted Sulphur Dioxide annual mean µgm3. For each ward the mean was calculated using (sum of (each LSOA mean in ward x that LSOA area in ward)/total area of LSOA in ward). Source: Department for Environment Food & Rural Affairs via Shape tool from Public Health England
	38	% Open and green spaces	2013	Percentage of open and green spaces. Wider definition of green space to include; Natural and Semi-Natural Urban Green Spaces, Green Corridors; Formal Parks and Gardens; Amenity Green Spaces, Allotments, Community Gardens and Urban Farms, Cemeteries and Churchyards, Civic Spaces and Outdoor Sports Facilities including School Grounds (percentage calculate from square metre data. Source: Southampton City Council
	39	General fertility rate	2014 to 2016	General fertility rate. Number of live births per 1000 women aged 15-44 years. ONS Annual Births Extract pro-rated Hampshire County Council small area population forecasts Southampton wards (based for relevant years)
벋	40	% Smoking at time of delivery	2014/15 to 2016/17	Percentage of women (maternities) smoking at time of discharge. Women known to be smokers at the time of delivery are defined as pregnant women who reported smoking (at all) at the time of delivery. Source: NHS Southampton Clinical Commissioning Group
Healthy start	41	% Breastfeeding at discharge	2018	Percentage of maternities breastfeeding (fully or partially) at time of discharge of all the maternities recorded as breastfeeding, breastfeeding with formula, or formula. This excludes maternities where breastfeeding status was not known, where the baby was in neonatal unit at the time of the mother's discharge or the mother was transferred out of maternity to another ward. Source: NHS Southampton CCG.
훈	42	% Reception year obese	2014/15 to 2016/17	Year R children obese: 2014/15 to 2016/17 (pooled). Percentage of children aged 4-5 classified as obese. Data shown is based on the resident postcode of the child rather than school location. Source: Validated NCMP national dataset and Southampton Child Health Information System via NHS Digital
	43	% Year 6 obese	2014/15 to 2016/17	Year 6 children obese: 2014/15 to 2016/17 (pooled). Percentage of children aged 10-11 classified as obese. Data shown is based on the resident postcode of the child rather than school location. Source: Validated NCMP national dataset and Southampton Child Health Information System via NHS Digital



	indicator Number	Indicator Name	Period reported in profile	Notes
	44	% Special educational needs (SEN)	Spring term 2017/18	Percentage of Southampton school children with a education health care plan, statement or receiving other support in Spring 2017. Source: Southampton City Council
Education	45	% English as additional language	Autumn term 2017/18	Pupils with English as additional language Autumn 2017. Percentage of Southampton school children with English as additional language in Autumn 2017. Southampton figure includes children resident outside of Southampton but attending Southampton schools. Source: Southampton City Council
	46	% Free school meals eligibility	Spring term 2017/18	Percentage of Southampton school children living in ward eligible for Free School Meals in Spring 2017. Southampton figure includes children resident outside of Southampton but attending Southampton schools. Source: Southampton Citu Council
	47	% Pupil attendance	Spring term 2016/17	Pupil attendance (%). Percentage of present sessions over the total possible sessions and used a mean average of the pupils attendance rates aggregated by ward. Source: Southampton City Council.
	48	% Children achieving good level of development (age 5)	2016/17	Children achieving good level of development (% age 5). Children defined as having reached a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children. Source: Southampton City Council
	49	0/ 1/62		Percentage of the number of KS2 pupils meeting the expected standard in reading, writing and maths of all eligible pupils. Southampton figure includes children resident outside of Southampton but attending Southampton schools. Source Southampton City Council.
	50	Progress 8 KS4 (average score)	2016/17	outside of Southampton but attentions Southampton Scrooks Southampton City Council. Progress 8 KS4 (average progress Socie) 2016/17. Progress 8 calculates the difference between a pupils actual score and what they were estimated to achieve, based on the performance of pupils with similar prior attainment nationally. In 2017, new, reformed English and Maths GCSEs were first examined and a new grading of 9-1 was introduced, with 9 being the highest grade. All other GCSE subjects were graded A*-G in 2017 and converted to a scale of 9-1 to ensure compatibility with English and Maths when calculating Progress 8 scores. Source: Southampton City Council.
	51	Attainment 8 KS4 (average score)	2016/17	Attainment 8 KS4 (average score) 2016/17. KS4 accountability of Attainment 8 takes a pupils best 8 Performance Table eligible qualifications and calculates an average score. The new, reformed English and Maths GCSEs were first examined and a new grading of 9-1 was introduced, with 9 being the highest grade. All other GCSE subjects were graded A*-G in 2017 and converted to a scale of 9-1 to ensure compatibility with English and Maths when calculating Attainment 8 scores. Source: Southampton City Council.
cial Care	52	Looked after children aged 0-17 years (rate)	2017	Children looked after as a rate per 1,000 residents aged 0-17 years, based on the recorded Southampton 'home' postcodes of where of child aged under 18 years before being taken to care and was still a LAC on the evening on the 31st March 2017. Note excludes 5% of the LAC dataset where a child's 'home' post code was outside of Southampton LA including taken into care from Women's Prisons after birth. Source: Southampton City Council and Hampshire County Council's 2016 based Small Area Population Forecasts
	53	% Families supported through Families Matter Programme	2017	Percentage of families on Families Matter Programme. Numerator counts of recorded postcodes by ward of 'Families' on the Families Matter Programme. Including all who have been eligible for the programme and who Southampton city Council has worked with and not just those that Southampton City Council are currently active will Denominator counts number of families receiving child benefit by ward extracted from the Child Benefit small area statistics - August 2017. Sources: Southampton City and HM Revenue Customs.
Š	Safeguarding referrals for adults aged 18 and over (rate)		2017	Safeguarding referrals for adults (rate per 1,000 residents 18+ years) 2017. Adults referred for safeguarding enquiries per 1,000 population aged 18+. Source: PARIS Southampton City Council and Hampshire County Council's 2016 based Small Area Population Forecasts.
	S5 Average hours of home care 2017		2017	Journal prior to the commission of the commissio
	56	Social care support for 65 years and over (rate)	2017	Indicate areas were population requires more interisive support. Source: PARIS Source: PARIS Southampton City Council and Hampshire County Council's 2016 based Small Area Population Forecasts
ž	57	% Adults with limiting long-term	2011	Percentage of adults aged 16-64 with a long term illness or disability which limits their daily activities a little or a lot. Source: Table QS303EW Census 2011.
conditions	58	illness or disability Depression recorded prevalence	2017	Prevalence of Depression in GP registered population (DSR per 1.000 population aged 15+) Source: ACG Tool
	59	(DSR per 1k) COPD recorded prevalence (DSR per	2017	Prevalence of Chronic Obstructive Pulmonary Disease (COPD) in GP registered all aged population (DSR per 1,000 population - all ages). Source: ACG Tool.
Chron	60	1k) Ischemic Heart Disease recorded	2017	
-	60	prevalence (DSR per 1k)	2017	Prevalence of Ischemic Heart Disease in GP registered all aged population (DSR per 1,000 population - all ages). Source: ACG Tool Hospital admissions for alcohol-specific conditions, all ages, directly age standardised rate per 100,000 population 2014/15 to 2016/17. For each admission episode (Day
	61	Alcohol specific admissions (DSR)	2014/15 to 2016/17	Case, Elective, Non-Elective (Emergency or Maternity or other transfer), Regular Days) identified, primary diagnosis or any of the secondary diagnoses are identified with an alcohol-specific (wholly attributable) condition. The alcohol specific (ICD codes used, replicated from the Public Health England methodology are F10, G312, G621, G721, I426, K292, K70, K652, K860, Q860, R780, T510, T511, T519, X45, X65, Y159, Y919. Directly age standardised rates are calculated by quinary age bands per 100,000 population and standardised to the European Standard Population. Source Hospital Episodes Statistics and Office for National Statistics mid-year population estimates (2014, 2015 and 2016).
	62	Smoking related admissions (DSR)	2014/15 to 2016/17	Smoking Attributable Admissions in people aged 35 and over, directly age standardised rate per 100,000. Hospital admissions for diseases that are wholly or partially attributed to smoking. This was calculated using the Public Health England's smoking attributable fractions for Southampton were applied to finished admission episodes with smoking attributable defined (ICD-10 codes as the primary diagnosis (Disease Category (ICD-10). Age at admission 35 and over Source: Hospital Episode Statistics (HES) and ONS mid year estimates for relevant years.
sions	63	Drug related mental health and behavioural disorders (DSR)	2014/15 to 2016/17	Hospital admissions with a primary or secondary diagnosis of drug related mental health and behavioural disorders, DSR per 100,000 population. Sources: Inpatient SUS. Mid- year population estimates, Office for National Statistics (for full metadata see Drugs compendium in JSNA)
simbe	64	Poisoning by illicit drugs (DSR)	2014/15 to 2016/17	Hospital admissions with a primary diagnosis of poisoning by illicit drugs DSR per 100,000 population. Sources: Inpatient SUS. Mid-year population estimates, Office for National Statistics (for full metadata see Drugs compendium in JSNA)
pital	65	Under 18 mental health admissions (rate)	2011/12 to 2016/17	Inpatient admission rate for mental health disorders per 100,000 population aged 0-17 years. First finished episodes for all persons aged 0 to 17 years with primary diagnosis codes F00 to F99 (Mental and behavioural disorders). Source Hospital Episode Statistics (HES)
Host	66	Unintentional and deliberate injuries aged 0-14 years (rate)	2012/13 to 2016/17	Crude rate of hospital admissions caused by unintentional and deliberate injuries in children aged under 15 years per 10,000 resident population aged under 15 years. Rate calculated using the number of finished emergency admissions (episode number = 1, admission method starts with 2), with one or more codes for injuries and other adverse effects of external causes (ICD 10: S00-T79 and/or V01-Y36) in any diagnostic field position, in children (aged 0-14 years) per 10.000 resident population aged 0-14 years for relevant years. Source: Hospital Episode Statistics (HES) and ONS mid year estimates for relevant years.
	67	Unintentional and deliberate injuries aged 15-24 years (rate)	2012/13 to 2016/17	Crude rate of hospital admissions caused by unintentional and deliberate injuries young people aged 15-24 years per 10,000 resident population aged 15-24 years. Rate calculated using the number of finished emergency admissions (episode number = 1, admission method starts with 2), with one or more codes for injuries and other adverse effects of external causes (ICD 10: S00-T79 and/or V01-Y36) in any diagnostic field position, in children (aged 15-24 years) per 10,000 resident population aged 15-24 years for relevant years. Source: Hospital Episode Statistics (HES) and ONS mid year estimates for relevant years.
	68	Injuries from falls aged 65 and over (rate)	2012/13 to 2016/17	Emergency hospital admissions for falls injuries in persons aged 65 and over, directly age standardised rate per 100,000. Falls injuries classified by primary diagnosis code (ICD10 code S00-T98) and external cause (ICD10 code W00-W19) and an emergency admission code (episode order number = 1, admission method starts with 2). Age at admission 65 and over Source: Hospital Episode Statistics (HES) and ONS mid year estimates for relevant years.
Life expectancy and mortality	69	Under 75 years mortality rate for cancer (DSR)	2012-2016	Age-standardised under 75 years mortality rate for cancer considered preventable. *A higher rate can be seen as 'worse'. Deaths included in these calculation are those deaths from cancer (classified by underlying cause of death recorded as ICD codes IOD-199) registered in the respective calendar years, in people aged under 75, aggregated into quinary age bands (0-4, 5-9,, 70-74). Counts of deaths for years up to and including 2013 have been adjusted where needed to take account of the IRIS ICD-10 coding change introduced in 2014, further information is in the in the FAQs on the front page tab. Source ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
	70	Under 75 years mortality rate for CVD (DSR)	2012-2016	Age-standardised under 75 years mortality rate for cardiovascular disease considered preventable. *A higher rate can be seen as 'worse'. Deaths included in these calculation are those deaths from cardiovascular diseases (classified by underlying cause of death recorded as ICD codes IOO-199) registered in the respective calendar years, in people aged under 75, aggregated into quinary age bands (0-4, 5-9,, 70-74). Source ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
	71	Under 75 years mortality rate for respiratory diseases (DSR)	2012-2016	Age-standardised under 75 years mortality rate for respiratory disease. *A higher rate can be seen as 'worse'. Deaths included in these calculation are those deaths from respiratory diseases (classified by underlying cause of death recorded as ICD codes J00-J99) registered in the respective calendar years, in people aged under 75, aggregated into quinary age bands (0-4, 5-9,, 70-74). Source ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
	72	Under 75 years mortality rate for liver disease considered preventable (DSR)	2012-2016	Age-standardised under 75 years mortality rate for liver disease considered preventable. "A higher rate can be seen as 'worse'. Deaths included in these calculation are those deaths from liver disease (classified by underlying cause of death recorded as ICD codes B15-B19, C22, IB1, IB5, K70-K77, T86.4) registered in the respective calendar years, in people aged under 75, aggregated into quinary age bands (0-4, 5-9,, 70-74). Source ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
	73	All age mortality rate for causes considered preventable (DSR)	2012-2016	Age-standardised rate of mortality from causes considered preventable per 100,000 population, 2014 to 2016. Deaths included are those that that are considered preventable (classified by underlying cause of death recorded as (Clo odes A15-A19, (A35, A36, B01 aged under 20 only), A37 (aged under 15 only), B05 (aged 1-14 only), B06 (aged under 15 only), B17.1, B18-2, B20-B24, B90, C00-C16, C18-C22, C33-C34, C43, C45, C50, C53, E10-E14, F10-F16, F18-F19, G31.2, G62.1, I20-126, I42.6, 171, I80.1-180.3, I80.9, I82.9, J09-J11, J40-J44, K29.2, K70, K73-K74 (excl. K743-K74.5), K86.0, Q05, U50.9, V01-Y34, Y60-Y69, Y83-Y84 registered in the respective calendar years, aggregated into quinary age bands (O4-5.9, 85-89, 90+). Only deaths aged under 75 from the above causes are included (unless otherwise mentioned) except B20-B24, U50.9, V01-Y34, Y60-Y69, Y83-Y84 (all ages). Counts of deaths for years up to and including 2013 have been adjusted where needed to take account of the IRIS (ICD-10 coding change introduced in 2014, further information is in the in the FAQs on the front page tab. Source: ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years up to a manual page.
	74	All age all cause mortality rate (DSR)	2012-2016	All age all cause mortality rate.*A higher rate can be seen as 'worse'. Age-standardised rate of mortality from all causes in persons of all ages per 100,000 population. Source: ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years.
	75	Excess winter deaths	2012/13 to 2016/17	Excess Winter Deaths Index (EWD Index) all persons. The excess winter deaths index is measured as the ratio of extra deaths from all causes that occur in the winter months compared with the expected number of deaths, based on the average of the number of non-winter deaths. Source: Primary Care Mortality Database
	76	Male life expectancy (years)	2012 to 2016	Male life expectancy: 2012 to 2016 (pooled)Life expectancy for males at birth - aggregated over 5 years. Source: ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years
	77	Female life expectancy (years)	2012 to 2016	Female life expectancy: 2012 to 2016 (pooled)Life expectancy for females at birth - aggregated over 5 years. Source: ONS Annual Deaths Extract and ONS mid-year population estimates for relevant years
_				•